N THE UNITED STATES VATENT AND TRADEMARK OFFICE

In re Application of:

Art Unit:

43

WOLFF, et al.

Examiner:

Serial No.: 10/092,947

Washington, D.C.

Filed: March 8, 2002

September 4, 2002

For: RECOMBINANT DIMORPHIC

FUNGAL CELL

Docket No.: WOLFF=3

SEP 0 4 2002

INFORMATION DISCLOSURE STATEMENT [IDS]

norable Commissioner of Patents Washington, D.C. 20231

Sir:

This Information Disclosure Statement is submitted in accordance with 37 C.F.R. 1.97, 1.98, and it is requested that the information set forth in this statement and in the listed documents be considered during the pendency of the above-identified application, and any other application relying on the filing date of the above-identified application or cross-referencing it as a related application.

- 1. This IDS should be considered, in accordance with 37 C.F.R. 1.97, as it is filed:
- [] A. within three months of the filing date of the above-identified national application or within three months of the entry into the national stage of the above-identified international application. See 37 CFR 1.97(b).
- [X] B. before the mailing date of a first office action on the merits. See $37\ \text{CFR}\ 1.97\ \text{(b)}$.
- [] C. after (A) and (B) above, but before final rejection or allowance, and Applicants have made the necessary certification (box "i" below) or paid the necessary fee (box "ii" below). See 37 CFR 1.97(c).
 - [] i. Counsel certifies that, upon information and belief, each item of information listed herein was either (a) cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this IDS

- or (b) was not cited in a communication from a foreign patent office in a counterpart foreign application and was not known to any individual designated in 1.56(c) more than three months prior to the filing of this IDS.
- [] ii. A check for the fee set forth in 1.17(p), presently believed to be \$180, is enclosed (check no.
- after (A), (B) and (C) above, but before payment [] D. of the issue fee. Applicant petitions under 37 C.F.R. 1.97(d) for consideration of this IDS. A check for the fee set forth in 1.17(i)(1), presently believed to be \$130 is enclosed (check no. _____). Counsel certifies that, upon information and belief, each item of information listed herein was either (i) cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior the filing of this IDS or (ii) was not cited communication from a foreign patent office in a counterpart foreign application and was not known to any individual designated in 1.56(c) more than three months prior to the filing of this IDS.
- [] E. As a submission in accordance with the transitional procedure for limited examination after final rejection pursuant to 37 CFR \$1.129(a). Pursuant to MPEP \$706.07(g), page 700-46, col. 2 (February 2000), this IDS is treated as if filed with a period set forth in 37 CFR \$1.97(b) and considered without the petition and petition fee required by 1.97(d).
- 2. In accordance with 37 C.F.R. 1.98, this IDS includes a list (e.g., form PTO-1449) of all patents, publications, or other information submitted for consideration by the office, either incorporated into this IDS or as an attachment hereto. A copy of each document is attached, except as explained below.
- [X] While an IDS filed under \$1.97 must contain a "list of all patents, publications or other information submitted for consideration by the Office", see \$1.98(a) (1), the only requirement for the list is that it provide the information set

forth in §1.98(b). There is no requirement that a form PTO-1449 be used (MPEP \$609 merely says that use of this form is "encouraged"). Counsel has used a list provided to him by Applicants, and not transferred the information to a PTO-1449, to avoid the risk of any inadvertent error in transferring the information.

- [] A. Documents ______ are deemed substantially cumulative to documents ______, and, in accordance with 1.98(c), only a copy of each of the latter documents is enclosed.
- [] B. Certain documents were previously cited by or submitted to the Office in the following prior application(s), which are relied upon under 35 U.S.C. 120:

[insert serial number/filing date]

Applicants identify these documents by attaching hereto copies of the form PTO-892s and PTO-1449s from the files of the prior applications or a fresh PTO-1449 listing these documents, and request that they be considered and made of record in accordance with 1.98(d). Per 37 CFR 1.98(d), copies of these documents need not be filed in this application. If copies of any of these documents cannot be found in the files of the prior applications, the Examiner is requested to so notify counsel before taking action in this case, so replacement copies can be submitted. While an IDS filed under §1.97 must contain a "list of all patents, publications or other information submitted consideration by the Office", see \$1.98(a) (1), the only requirement for the list is that it provide the information set forth in \$1.98(b). There is no requirement that a form PTO-1449 be used (MPEP §609 merely says that use of this form is "encouraged") and no prohibition on submitting a copy of a form PTO-1449 or form PTO-892 from a prior case. Indeed, the re-use of such forms is desirable as it avoids error in transferring the information, and evidences that the reference was considered in a prior application. A previously accepted PTO-1449, or an examiner-prepared PTO-892, necessarily complies with \$1.98(b).

[]	3. Documents are not in the English
language	. In accordance with 1.98(c), Applicants state:
[]	documents already contain an English
	language abstract, summary or claim set.
[]	a publicly available abstract is attached to each of
	documents, and the source of each abstract
	is indicated thereon.
[]	documents are patents or published patent
	applications for which counterpart English language
	patents or patent applications exist, and are enclosed,
	as follows:
	Foreign Lang. Doc.# English Lang. Doc.#
	[insert] [insert]
[]	applicants have prepared an English translation of at
	least the pertinent portions of documents,
	and copies are attached.
[]	A concise explanation of the relevance of documents
	is found in the attached search report from
	the Patent Office (see reply to Comment 68 in
	the preamble to the final rules; 1135 OG 13 at 20).
[]	A concise explanation of the relevance of documents
	is set forth as follows:
	[Insert concise explanation of relevance]

- 4. No explanation of relevance is necessary for documents in the English language (see reply to Comments 67 and 68 in the preamble to the final rules; 1135 OG 13 at 20).
- 5. If the month of publication of a nonpatent reference is not stated, it is because it is not apparent from review of the reference. If requested to do so by the Examiner, Applicants will attempt to locate and write to the publisher.

If the publication date of a cited document is set forth only as a publication year, and that year is prior to the year of filing or, if priority is claimed, year of priority of this application, then the particular month of publication is not in issue. Likewise if that publication year is after the year of

filing of this application, the month of publication is not in issue.

If the date of publication of a nonpatent reference is stated, then, except as explained below, it is the nominal date stated in the reference, or in a larger document (journal or book) from which the reference was extracted. Applicants reserve the right to challenge this date by contacting the publisher to determine the actual shipment date, or by contacting recipients to determine the receipt dates.

Other information being provided for the examiner's consideration follows:

[insert other information]

- In accordance with 37 C.F.R. 1.97(g) and (h), the filing of this IDS should not be construed as a representation that a search has been made or that information cited is, or considered to be, material to patentability as defined in \$1.56 (b), or that any cited document listed or attached is (or constitutes) prior art. Unless otherwise indicated, the date of publication indicated for an item is taken from the face of the item and Applicant reserves the right to prove that the date of publication is in fact different.
- The Commissioner is hereby authorized and requested to charge any additional fees which may be required in connection with this paper or credit any overpayment to Deposit Account No. 02 - 4035.

Respectfully submitted,

BROWDY AND MEIMARK, P.L.L.C. Applican

Attorneys/

Iver P. Cooper Req. No. 28,005

624 Ninth Street, N.W. Washington, D.C. 20001 Telephone: (202)628-5197 Facsimile: (202)737-3528

IPC:lms

G:\BN\H\hoib\Wolff3\ptoids.wpd



Patent Application No. 10/092947 in United States "Recombinant dimorphic fungal cell" Atty. Docket.: WOLFF=3

Ö.	AUTHOR	TITLE	JOURNAL NAME, VOLUME NUMBER, PAGE NUMBER PUBLICATION DATE
<u></u>	Fink et al.	Dimorphism genes in fungi	WO 93/08285; published 29 April 1993
2	Anaya N. and M.I.G. Roncero	Transformation of a methionine auxotrophic mutant of Mucor circinelloides by direct cloning of the corresponding wild type gene.	Mol. Gen. genet. 230 : 449-455, 1991
ဧ	Arnau, J., Sørensen, K. I., Appel, K. F., Vogensen, F. K. and Hammer, K.	Analysis of heat shock gene expression in Lactococcus lactis MG1363.	Microbiology 142: 1685-91, July, 1996
4	Arnau, J. and Strøman, P.	Gene replacement and ectopic integration in the zygomycete Mucor circinelloides.	Curr. Genet. 23: 542-6, May-June 1993
2	Ballance, D. J.	Transformation systems for filamentous fungi and an overview of fungal gene structure.	In Molecular Industrial Mycology (S. A. Leong and R. M. Berka, Eds.), pp. 1-29. Marcel Dekker, NY. 1990
မ	Bartnicki-Garcia, S. and Nickerson, W. J.	Induction of yeastlike development in Mucor by carbon dioxide.	J. Bacteriol. 84: 829-40, May 1962
2	Bartnicki-Garcia, S.	Control of Dimorphism in Mucor by hexoses: Inhibition of hyphal morphogenesis.	J. Bacteriol. 96 : 1586-1594, November 1968
ω	Benito, E.P., Díaz-Mínguez J. M., Iturriaga, E. A., Compuzano V. and Eslava A.P.	Cloning and sequence analysis of the Mucor circinelloides pyrG gene encoding orotidine-5'-monophosphate decarboxylase: Use of pyrG for homologous transformation	Elsevier, 116 , 59-67, July 1992
თ	Bitter, G. A. and Egan, K. M.	Expression of heterologous genes in Saccharomyces cerevisiae from vectors utilizing the glyceraldehyde-3-phosphate dehydrogenase gene promoter.	Gene 32: 263-74, December 1984

150	34 I
a.	2
(F	<i>6</i> 3
	5 5

"Recombinant dimorphic fungal cell"

Atty. Docket.: WOLFF=3

Carlsberg Res. Commun. 52: 243-In Fungal genetics – Principle and FEMS Microbiol Lett. 177: 39-45, J. Bact. 146, 945-951, June 1981 Mycology series vol. 13, pp. 385phosphate dehydrogenase gene of FEMS Microbiol. Lett. 125: 127-Biotechnol. Bioeng. **65:** 638-48, December 20, 1999 Proc. Natl. Acad. Sci., USA 97: 13619-24, December 5, 2000. Contrib. Microbiol. 5: 98-111, 2000 Trends Microbiol. 8: 133-41, Exp. Mycol. 4: 78-86, 1980. practice (J. B. Cees, Ed.), 33, January 1995. August 1999. March 2000. 52, 1987. Changes in the rate of chitin-plus-chitosan synthesis Differential synthesis of glyceraldehyde-3-phosphate An unusual pattern of invertase activity development Expression of active Mucor miehei aspartic protease Glucose depletion causes haploid invasive growth in dehydrogenase polypeptides in stressed yeast cells. Effect of branch frequency in Aspergillus oryzae on protein secretion and culture viscosity. accompany morphogenesis of Mucor racemosus. binding proteins during the conversion of yeast to Profile of cyclic adenosine 3',5'-monophosphate Regulation of dimorphism in Candida albicans. cAMP signalling in pathogenic fungi: control of in the thermophilic fungus Thermomyces dimorphic switching and pathogenicity hyphae in the fungus Mucor. Genetics of Phycomyces. in Mucor circinneloides. lanuginosus. yeast. Christiansen, L. H. and Trinci, A. P. Boucherié, H., Bataille, N., Fitch, I. Cullen, P. J. and Sprague, G. F. Heeswijck, R., Strøman, P. and Eslava, A. P. and Alvarez, M. I. Dickinson, L., Harboe, M., van T., Perrot, M. and Tuite, M. F. Forte, J. W. and Orlowski, M. Bocking, S. P., Wiebe, M. G. Robson, G. D., Hansen, K., Borges-Walmsley, M. I. and Chaudhuri A, Bharadwaj G, Domek and Borgia. Walmsley, A. R. Maheshwari R. Jepsen, L. P. Ernst, J. F. 9 5 5 8 6 3 4 9 1



Patent Application No. 10/092947 in United States "Recombinant dimorphic fungal cell" Atty. Docket.: WOLFF=3

20	Frederick, K. R., Tung, J., Emerick, R. S., Masiarz, F. R., Chamberlain, S. H., Vasavada, A., Rosenberg, S., Chakraborty, S., Schopfer, L. M. and Massey, V.	Glucose oxidase from Aspergillus niger. Cloning, gene sequence, secretion from Saccharomyces cerevisiae and kinetic analysis of a yeast-derived enzyme.	J. Biol. Chem. 265: 3793-802, March 1990.
21	Garcia-Castillo, J., Lorca-Pascual, J. M., Torres-Martinez, S. and Ruiz- Vazquez, R.	Expression of the reporter gene uidA in <i>Mucor</i> circinelloides is abolished by premature termination of transcription.	In ECFG5 Abstract Book (B. Felenbok and B. Turcq, Eds.), 2000.
22	Gordon, C. L., Khalaj, V., Ram, A. F., Archer, D. B., Brookman, J. L., Trinci, A. P., Jeenes, D. J., Doonan, J. H., Wells, B., Punt, P. J., van den Hondel, C. A. and Robson, G. D.	Glucoamylase∷green fluorescent protein fusions to monitor protein secretion in <i>Aspergillus niger.</i>	<i>Microbiology.</i> 146: 415-26, February 2000.
23	Gurr, S. J., Unkles, S. E. and Kinghorn, J. R.	The structure and organization of nuclear genes of filamentous fungi.	In Gene Structure in Eukaryotes (J. R. Kinghorn, Ed.), pp. 93-139. IRL Press, Oxford, 1988.
24	Harmsen, M. C. Schuren, F. H. J., Moukha, S. M., van Zuilen, C. M., Punt, P. and Wessels, G. H.	Sequence analysis of the glyceraldehyde-3- phosphate dehydrogenase genes from the basidiomycetes Schizophyllum commune, Phanerochaete chrysosporium and Agaricus bisporus.	Curr. Genet. 22: 447-54, December 1992.
25	Hirano, T., Sato, T., Okawa, K., Kanda, K., Yaegashi, K. and Enei, H.	Isolation and characterization of the glyceraldehyde-3-phosphate dehydrogenase gene of <i>Lentinus</i> edodes.	Biosci. Biotechnol. Biochem. 63: 1223-27, July 1999.
26	Hirano, T., Sato, T. Yaegashi, K. and Enei, H.	Efficient transformation of the edible basidiomycete Lentinus edodes with a vector using a glyceraldehyde-3-phosphate dehydrogenase promoter to hygromycin B resistance.	Mol. Gen. Genet. 263: 1047-52, July 2000.
27	Hoekstra, R. F.	Horizontal transmission in fungal populations.	In Fungal genetics – Principle and practice (J. B. Cees, Ed.), Mycology series vol. 13, pp., 337-348. Marcel Dekker, New York. 1996



Patent Application No. 10/092947 in United States "Recombinant dimorphic fungal cell" Atty. Docket.: WOLFF=3

78	Holland, M. J. and Holland, J. P.	Isolation and identification of yeast messenger	Biochemistry 17: 4900-7,
		ribonucield acids coding for enolase, glyceraldenyde- 3-phosphate dehydrogenase, and phosphoglycerate kinase.	November 1978.
29	Inderlied and Sypherd.	Glucose metabolism and dimorphism in Mucor.	J. Bact. 133 , 1282-1286, March 1978.
30	Iturriaga, E. A., Diaz-Minguez, J. M., Benito, E. P., Alvarez, M. I. and Eslava, A. P.	Heterologous transformation of <i>Mucor circinelloides</i> with the <i>Phycomyces blakesleeanus leu1</i> gene.	Curr. Genet. 21: 215-23, March 1992.
31	Kügler et al.	Monitoring phase-specific gene expression in Histoplasma capsulatum	Cellular Microbiol. 2(6): 537-547, December 2000.
32	Lasker, B. A. and Borgia, P. T.	High-frequency heterokaryon formation by <i>Mucor</i> racemosus.	J. Bacteriol. 141: 565-9, February 1980.
33	Leija et al.	Effect of L-amino acids on Mucor rouxii dimorphism.	J. Bact. 168:843-850, November 1986
34	Liu, H., Kohler, J. and Fink, G. R.	Suppression of hyphal formation in Candida albicans by mutation of a STE12 homolog.	Science 266: 1723-26, December 1994.
35	Madhani, H. D. and Fink, G. R.	The control of filamentous differentiation and virulence in fungi.	Trends Cell Biol. 8: 348-53, September 1998.
36	Moreno, S. and Passeron, S.	Further studies on cyclic adenosine 3:5'- monophosphate protein kinase from dimorphic fungus <i>Mucor rouxii</i> .	<i>Arch. Biochem. Biophys.</i> 199: 321-30, February 1980.
37	Navarro, E., Lorca-Pascual, J. M., Quiles-Rosillo, M. D., Nicolas, F. E., Garre, V., Torres-Martinez, S. and Ruiz-Vazquez, R.M.	A negative regulator of light-inducible carotenogenesis in <i>Mucor circinelloides</i> .	Mol. Genet. Genomics 266: 463-70, September 2001.
38	Navarro, E., Ruiz-Pérez, V. L. and Torres-Martinez, S.	Overexpression of the crgA gene abolishes light requirement for cartenoid biosynthesis in Mucor circinelloides.	Eur. J. Biochem. 267 : 1-9, 2000.

150	34 3	WO LE
la la	E	40ENA
10		Ĕ
		PATER

'Recombinant dimorphic fungal cell"

Atty. Docket.: WOLFF=3

Eur. J. Biochem. 222: 501-6, June Gene 93: 101-9, September 1990. and T. J. White, Eds.), pp. 219-27 Arch. Microbiol 129:353-356, July Innis, D. H. Gelfand, J. J. Sninsky nethods and applications (M. A. The yeast A kinases differentially regulate iron uptake | Proc. Natl. Acad. Sci., USA. 97: Methods Enzymol. 194: 239-51, Microb. Rev. 55: 234-58, June Fungal. Gen. Biol. 28: 171-89, December 1999. Academic Press, San Diego, In PCR protocols: A guide to Gene 84: 335-43, December Mol. Cel. Biol. 17: 6410-18, Genes Dev. 8: 2974-85, 5984-8, May 23, 2000. December 1994. November 1997 1990. 1991. 1994 1981. Characterization of a leuA gene and an ARS element Amplification of flanking sequences by inverse PCR. Gene overexpression in studies of Saccharomyces growth and morphogenesis in the fungal cell *Mucor* Relationship of Internal Cyclic AMP levels, rates of Functional elements in the promoter region of the associated with distinct cellular functions during developmental programs in the same cell type: Evidence that MRas1 and MRas3 proteins are Regulation of protein kinase A subunits during glyceraldehyde-3-phosphate dehydrogenase. germination of Mucor rouxii sporangiospores stimulation mediated by a small domain of S. Elements of a single MAP kinase cascade in Transcriptional activation upon pheromone Aspergillus nidulans gpdA gene encoding protein synthesis and Mucor dimorphism. Saccharomyces cerevisiae mediate two mating and invasive growth. from Mucor circinelloides. and respiratory function. Mucor dimorphism cerevisiae Ste12p. racemosus. cerevisiae. Roze, L. V., Mahanti, N., Mehigh, R., McConnell, D. G., and Linz, J. E. Pouwels, P. H. and van den Hondel, Kuyvenhoven, A., Soede, R. D. M., Strøman, P. and van Heeswijck, R. Robertson, L. S., Causton, H. C., Punt, P. J., Dingemanse, M. A., Ochman, H., Medhora, M. M., Roberts, R. L. and Fink, G. R. Pi, H., Chien, C. T., Fields, S. Roncero, M. I., Jepsen, L. P., Young, R. A. and Fink, G. R. Garza, D. and Hartl, D. L. Rossi, S. and Moreno, S. Orlowski and Ross. C. A. M. J. J. Orlowski, M. 46 8 49 33 45 8 42 43 44 47 4

3	234 3	DIEGO
a.	83	OCEAN
6		Ĕ
		FAIR P

"Recombinant dimorphic fungal cell"

Atty. Docket.: WOLFF=3

Anal. Biochem. 171: 310-19, June 1988. (C. Christiansen, L. Munck and J. Munksgaard, Copenhagen, 1990. fungi (J. F. Peberdy, C. E. Caten, Curr. Genet. 26: 179-83, August 1994. Curr. genet. 26:166-171, August Biotechnology, Proceedings vol. In Applied molecular genetics of J. E. Ogden and J. W. Bennett, J. Bact. 156: 264-272, October 1983. Annu. Rev. Biochem. 59: 971-Villadsen, Eds.), pp. 203-206. Arch. Biochem. Biophys. 382: 173-81, October 2000. University Press, Cambridge, In 5th European Congress on J Gen Microbiol. 81: 225-36, Eds.), pp. 1-28. Cambridge Curr. Microbiol. 39: 259-64, November 1999. March 1974. 1005, 1990. blakesleeanus phytoene dehydrogenase gene (carB) binding domain from the regulatory subunit of Mucor cAMP-dependent protein kinase: framework for a Gene tranfer system and vector development for homobasidiomycete Schizophyllum commune to Activity staining of blotted enzymes by reaction A study of the kinetics of hyphal extension and Structural and functional analysis of the cAMP coupling with transfer membrane-immobilized Heterologous expression of the Phycomyces Secretion of active calf chymosin from Mucor Genetic evidence for independence between solation and Biochemical Analysis of Mucor diverse family of regulatory enzymes Highly-efficient transformation of the bacilliformis monomorphic mutants. branch initiation of fungal mycelia. fermentative metabolism phleomycin resistance. rouxii protein kinase A. in Mucor circinelloides. auxiliary enzymes. filamentous fungi. circinelloides. Strøman, P., Bruyant, P., Jepsen, L. P., Arnau, J. and Wind, A. van den Hondel, C. A. M. J. J. and Ruiz-Hidalgo, M. J., Eslava, A. P., Alvarez, M. I. and Benito, E. P. Schuren, F. H. J. and Wessels. J. Sorol, M. R., Pastori, R. L., Muro, Taylor, S. S., Buechler, J. A. and A., Moreno, S. and Rossi, S. Sock, J. and Rohringer, R. Torres-Guzman et al. Ruiz-Herrera et al Yonemoto, W. Trinci, A. P. Punt, P. J. G. T. 20 28 53 29 52 54 55 26 51 57

/39	53 4	O/HO HER
14	200	THE STATE OF THE S
(2	4	TRAD
/0		- 48E
	\checkmark	PH

"Recombinant dimorphic fungal cell"

Atty. Docket.: WOLFF=3

Carlsberg Res. Commun. 49: 691-Genetics 153: 1601-15, December and J. F. Jackson, Eds.). pp. 207-Yeast 13: 1231-42, October 1997. Gene 186: 37-44, February 1997. analysis vol. VII. (J. H. Linskens, J. Gen. Microbiol. 137: 2017-23, Appl. Microbiol. Biotechnol. 45: Transformation of the cultivated mushroom, Agaricus | Mol. Gen. Genet. 250: 252-58, Antonie Van Leeuwenhoek 68: 215-23, October 1995. Curr. Genet. 12: 625-7, 1987. 222. Springer-Verlag, Berlin, In Modern methods of plant Fungal Gen. Biol. **35:** 21-9, February 2002. 652-7, June 1996. August 1991. 702, 1984. 1999. marker for transformation of the zygomycete Absidia Genetic analysis and manipulation of Mucor species A., Wang, P., Cox, G. M., Perfect, J. filamentation but largely dispensable for mating and R. and Heitman, J. phosphate dehydrogenase gene and regulation and Rhizomucor pusillus by homologous recombination. circinelloides (syn. racemosus) and use of the gpd1 Molecular characterixation of the glyceraldehyde-3-Localization of growth and secretion of proteins in Temperature-dependent dimorphism of the yeast Isolation of the Pichia pastoris glyceraldehyde-3-Neomycin resistance as a dominantly selectable Integrative transformation of the zygomycete The STE12 α homolog is required for haploid promoter for recombinant protein production. High frequency transformation of Mucor with phosphate dehydrogenase gene of Phaffia dehydrogenase-encoding genes in Mucor Cloning of glyceraldehyde-3-phosphate virulence in Cryptococcus neoformans. bisporus, to hygromycin B resistance. by DNA mediated transformation. recombinant plasmid DNA. Arxula adeninivorans Ls3. use of its promoter. Aspergillus niger. rhodoxyma. glauca. Yue, C., Cavallo, L. M., Alspaugh, J. Wartmann, T., Kruger, A., Adler, K., A., Huizing, H. J. and Mooibroek, H. Duc, B. M., Kunze, I. and Kunze, G. Wöstemeyer, J., Burmester, A. and Weigel, C. van Heeswijck, R. and Roncero, M. Verdoes, J. C. Wery, J., Boekhout, Koutz, P. J., Lair, S. V. and Cregg, van den Rhee, M. D. Graca, P. M. van Heeswijck, R., Roncero, M. I. G. and Jepsen, L. P. Sietsma, J. H. and Wessels, J. G. Waterham, H. R., Digan, M. E., Wösten, H. A., Moukha, S. M. Wada, M., Beppu, T. and Wolff, A. M. and Arnau, J. T. and Van Ooyen, A. J. Horinouchi, S. 8 68 69 62 63 64 65 99 2 6 67